

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	695	257/704.ccls.	US-PGPU B; USPA T	2005/04/14 15:50
2	BRS	L2	292	257/710.ccls.	US-PGPU B; USPA T	2005/04/14 14:49
3	BRS	L3	350	257/710.ccls.	US-PGPU B; USPA T; USO CR	2005/04/14 14:49
4	BRS	L4	716	257/704.ccls.	US-PGPU B; USPA T; USO CR	2005/04/14 14:50
5	BRS	L5	71	L3 and (cap or cover or lid) and solder and hermetic	US-PGPU B; USPA T; USO CR	2005/04/14 15:42

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	149	L4 and (cap or cover or lid) and solder and hermetic	US-PGPU B; USPA T; USO CR	2005/04/14 14:51
7	BRS	L8	34	L6 and gold and tin and nickel	US-PGPU B; USPA T; USO CR	2005/04/14 14:52
8	BRS	L9	18	L6 and (solder with preform)	US-PGPU B; USPA T; USO CR	2005/04/14 14:52
9	BRS	L7	22	L5 and gold and tin and nickel	US-PGPU B; USPA T; USO CR	2005/04/14 14:53
10	BRS	L10	15	L5 and (solder with preform)	US-PGPU B; USPA T; USO CR	2005/04/14 15:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	7	L9 and thick	US-PGPU B; USPA T; USO CR	2005/04/14 15:39
12	BRS	L12	6	L10 and thick	US-PGPU B; USPA T; USO CR	2005/04/14 15:34
13	BRS	L13	6	L11 and thickness	US-PGPU B; USPA T; USO CR	2005/04/14 15:43
14	BRS	L14	742	(cap or cover or lid) and (solder adj preform)	US-PGPU B; USPA T; USO CR	2005/04/14 15:42
15	BRS	L15	517	L14 and thickness	US-PGPU B; USPA T; USO CR	2005/04/14 15:43

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	270	L15 and (microns or angstroms or mils)	US-PGPU B; USPA T; USO CR	2005/04/14 15:44
17	BRS	L17	57	L16 and gold-tin	US-PGPU B; USPA T; USO CR	2005/04/14 15:44
18	BRS	L18	505	257/704.ccls.	EPO; JPO	2005/04/14 15:50
19	BRS	L19	162	257/710.ccls.	EPO; JPO	2005/04/14 15:50